

LIST OF CURRENT CLAIMS

1. (Currently Amended) Semi-trailer comprising ~~Improved semi-trailer which mainly consists of~~ a chassis having ~~(14) with~~ at least two supporting longitudinal runners (15), connected to each other by means of cross connections ~~(16-17-18)~~, and two or several single or double wheels (4) carrying the chassis (14), ~~characterised in that wherein~~ the longitudinal runners (15) are located ~~situated~~ on the side edges of the chassis (14) at a distance from each other which is larger than the distance between the wheels (4), and wherein each ~~whereby every~~ wheel (4) is fixed independently of the other wheels (4) on the chassis (14) by ~~means of~~ two parallel supporting arms (32-33) which are hinged ~~can hinge~~ at their far ends.
2. (Currently Amended) Semi-trailer ~~Improved semi-trailer~~ according to claim 1, ~~characterized in that wherein~~ each ~~above-mentioned~~ longitudinal runner (15) on the side edge of the chassis (14) is formed of a profile (19) which is provided with a reinforcement in the shape of a box-like construction (20) over a selected ~~certain~~ length.
3. (Currently Amended) Semi-trailer ~~Improved semi-trailer~~ according to claim 2, ~~characterised in that wherein~~ the ~~above-mentioned~~ box-like construction (20) ~~mainly~~ extends between the wheels (4) and the a ~~journal~~ (24) of the semi-trailer (13).
4. (Currently Amended) ~~Improved semi-trailer~~ Semi-trailer according to claim 3, ~~characterised in that wherein~~ the ~~above-mentioned~~ box-like construction (20) extends downward in relation to the ~~above-mentioned~~ I-profile (19).
5. (Currently Amended) ~~Improved semi-trailer~~ Semi-trailer according to claim 1, ~~characterised in that wherein~~ the ~~above-mentioned~~ supporting arms (32-33) are provided in pairs on the chassis (14), one above the ~~on top of each~~ other and at a distance from each other.

6. (Currently Amended) ~~Improved semi-trailer~~ Semi-trailer according to claim 5, ~~characterised in that~~ wherein the supporting arms (32-33) are hinge-mounted on one or several longitudinally directed supports (24) ~~which are part of~~ comprising the chassis (14).
7. (Currently Amended) ~~Improved semi-trailer~~ Semi-trailer according to claim 6, ~~characterised in that~~ wherein the above-mentioned support is formed of two longitudinal profiles (25-26) ~~situated~~ located at different heights, fixed on the ~~above-mentioned~~ cross connections (18).
8. (Currently Amended) ~~Improved semi-trailer~~ Semi-trailer according to claim 6 or 7, ~~characterised in that~~ wherein every supporting arm (32-33) ~~is mainly formed of~~ comprises three hinge joints (35-39) which are connected to each other by ~~means of~~ two rods (40) in a triangular bracing.
9. (Currently Amended) ~~Improved semi-trailer~~ Semi-trailer according to claim 7, ~~characterised in that~~ wherein one or several of the ~~above-mentioned~~ cross connections (17-18) have a concave shape.
10. (Currently Amended) ~~Improved semi-trailer~~ Semi-trailer according to claim 9, ~~characterized in that~~ wherein the ~~above-mentioned~~ cross connections (17-18) are formed of a box-like construction.
11. (Currently Amended) ~~Improved semi-trailer~~ Semi-trailer according to claim 9, ~~characterised in that~~ wherein the ~~above-mentioned~~ cross connections (17-18) are formed of a predominantly sickle-shaped I-profile (55).
12. (Currently Amended) ~~Improved semi-trailer~~ Semi-trailer according to claim 6, ~~characterised in that~~ wherein in the case of semi-trailers (13) with several axles, a cross connection (18) is provided at least between each pair of adjacent wheel axles upon which the ~~above-mentioned~~ central support for the supporting arms (32-33) is fixed.

13. (Currently Amended) ~~Improved semi-trailer~~ Semi-trailer according to claim 1, ~~characterised in that it is provided with~~ further comprising a loading floor ~~whose~~ having edge profiles ~~are formed of the above-mentioned~~ comprising said longitudinal runners (15) on the side edges of the chassis (14).

14. (Currently Amended) ~~Improved semi-trailer~~ Semi-trailer according to claim 1, ~~characterised in that it is provided with what are called~~ further including twist-lock couplings (58) for fastening a container, which couplings (58) are provided on the supporting longitudinal runners (15) on the side edges of the chassis (14).